FEMS Microbiology Letters

VOL. 66 No. 1–3 CONTENTS 1 JANUARY 1990

Hypothesis

Comparison of forward and backwards methods of cell cycle analysis
S. Cooper (U.S.A.) 1

Research Letters

Characterisation of cyclohexane hydroxylase; involvement of a cytochrome P-450 system from a cyclohexane grown *Xanthobacter* sp.
E.J. Warburton, A.M. Magor, M.K. Trower and M. Griffin (U.K.) 5

Characteristic new members of the phthiocerol and phenolphthiocerol families from *Mycobacterium ulcerans*
G.S. Besra, D.E. Minnikin, A. Sharif and J.L. Stanford (U.K.) 11

Effect of aromatic monomers on production of carbohydrate-degrading enzymes by white-rot and brown-rot fungi
T.L. Highley and J.A. Micales (U.S.A.) 15

Derivatives of *Rhodobacter capsulatus* strain AD2 cured of their endogenous plasmid are unable to utilize nitrate
J.C. Willison (France) 23

Cloning and expression of chromosomally and plasmid-encoded glyceraldehyde-3-phosphate dehydrogenase genes from the chemoautotroph *Alcaligenes eutrophus*
U. Windhövel and B. Bowien (F.R.G.) 29

Two tertiary branched tetraamines, N^4-aminopropylnorspermidine and N^4-aminopropylspermidine, are the major polyamines in thermophilic eubacteria, *Thermoleophilum*
K. Hamana, S. Matsuzaki, M. Niitsu and K. Samejima (Japan) 35

Simplified procedure for purification of *Bordetella bronchiseptica* dermonecrotic toxin
Y. Horiguchi, T. Nakai and K. Kume (Japan) 39

Binding and hemagglutinating properties of the B subunit(s) of heat-labile enterotoxin isolated from human enterotoxigenic *Escherichia coli*
S. Sugii and T. Tsuji (Japan) 45

Mutants of *Aspergillus nidulans* able to grow at extremely acidic pH acidify the medium less than wild type when grown at more moderate pH
A. Rossi and H.N. Arst, Jr. (U.K) 51

A new fimbrial type (PCFO9) on enterotoxigenic *Escherichia coli* 09:H^- LT^+ isolated from a case of infant diarrhea in Central Australia
M.W. Heuzenroeder, T.R. Elliot, C.J. Thomas, R. Halter and P.A. Manning (South Australia, F.R.G.) 55

Heterologous expression of the *Bacteroides ruminicola* xylanase gene in *Bacteroides fragilis* and *Bacteroides uniformis*
T.R. Whitehead and R.B. Hespell (U.S.A.) 61

Cloning of the genes encoding urease from *Proteus vulgaris* and sequencing of the structural genes
G. Mörsdorf and H. Kaltwasser (F.R.G.) 67

A surface polysaccharide forms when gonococci are converted to serum resistance by cytidine 5′-monophospho-*N*-acetyl neuraminic acid
A.J. Fox, A. Curry, P.L. Rowland, S. Lancaster, D.M. Jones, N.J. Parsons, J.A. Cole and H. Smith (U.K.) 75

Tetrachloroethylene as electron acceptor for the anaerobic degradation of benzoate
H. Scholz-Muramatsu, R. Szewzyk, U. Szewzyk and S. Gaiser (F.R.G., Sweden) 81

Mixed chemostat cultures of obligately aerobic and fermentative or methanogenic bacteria grown under oxygen-limiting conditions
J. Gerritse, F. Schut and J.C. Gottschal (The Netherlands) 87

Heterologous expression of a mutated toxin gene from *Bacillus thuringiensis* subsp. *tenebrionis*
S.-L. Rhim, N. Jahn, W. Schnetter and K. Geider (F.R.G.) 95

Growth and siderophore production by *Bordetella pertussis* under iron-restricted conditions
A.R. Gorringe, G. Woods and A. Robinson (U.K.) 101

The binding of colonization factor antigens of enterotoxigenic *Escherichia coli* to intestinal cell membrane proteins
C. Wennerås, J. Holmgren and A.-M. Svennerholm (Sweden) 107

Improved methods for the preparation of high molecular weight DNA from large and small scale cultures of filamentous fungi
B.W. Bainbridge, C.L. Spreadbury, F.G. Scalise and J. Cohen (U.K.) 113

(Contents continued on page 365)

Cited in: Biological Abstracts; Chemical Abstracts; Current Contents (Life Sciences); Excerpta Medica; Pascal

(*Contents continued from back cover*)

Localization of an origin of replication in *Corynebacterium diphtheriae* broad host range plasmid pNG2 that also functions in *Escherichia coli*
T.M. Serwold-Davis, N.B. Groman and C.C. Kao (U.S.A.) 119
Transformation of an entomopathic strain of *Bacillus sphaericus* by high voltage electroporation
L.D. Taylor and W.F. Burke, Jr. (U.S.A.) 125
Correlation between the effects of fosfomycin and chloramphenicol on *Escherichia coli*
D. Mengin-Lecreulx and J. Van Heijenoort (France) 129
Mu gem3 as a tool to investigate the influence of chromosome supercoiling on gene expression in *Escherichia coli* K12
E. Bianchi, I. Ruberti, P. Ghelardini and L. Paolozzi (Italy) 135
Organization and nucleotide sequence of the genes for ribosomal protein S2 and elongation factor Ts in *Spirulina Platensis*
A.M. Sanangelantoni, R.C. Calogero, F.R. Buttarelli, C.O. Gualerzi and O. Tiboni (Italy) 141
Resolution of the 4-hydroxy-3-methylbenzoate hydroxylase of *Pseudomonas putida* into two protein components
E.M.T. El-Mansi and D.J. Hopper (Scotland, U.K.) 147
Purification and characterization of restriction endonuclease *Bcol* from a soil isolate of *Bacillus coagulans*
S.M. Leung, K.M. Kam, K.Y. Chan and P.C. Shaw (Hong Kong) 153
Energy conservation in *Nitrobacter*
A. Freitag and E. Bock (F.R.G.) 157
Enterotoxigenicity and frequency of *Campylobacter jejuni, C. coli* and *C. laridis* in human and animal stool isolates from different countries
G.-B. Lindblom, M. Johny, K. Khalil, K. Mazhar, G.M. Ruiz-Palacios and B. Kaijser (Sweden, Kuwait, Pakistan, Mexico) 163
Differences between the mechanisms of action of heat-stable and heat-labile enterotoxins of *Escherichia coli*
J. Goyal, N.K. Ganguly, U.C. Garg and B.N.S. Walia (*India*) 169
An examination of proton translocation and energy conservation during heterotrophic nitrification
D. Castignetti, D. Palutsis and J. Turley (U.S.A.) 175
Purification and some properties of the methyl-CoM reductase of *Methanothrix soehngenii*
M.S.M. Jetten, A.J.M. Stams and A.J.B. Zehnder (The Netherlands) 183
Identification of proteins encoded in *Escherichia coli hydA, hydB* and analysis of the *hydA* locus
T. Yamamoto, M. Tomiyama, H. Mita, K. Sode and I. Karube (Japan) 187
Amylase-binding as a discriminator among oral streptococci
C.W.I. Douglas, A.A. Pease and R.A. Whiley (U.K.) 193
Lipid composition of *Halobacterium lacusprofundi*
B.J. Tindall (F.R.G.) 199
Transformation of *Staphylococcus epidermidis* and other staphylococcal species with plasmid DNA by electroporation
J. Augustin and F. Götz (Federal Republic of Germany) 203
Anaerobic -lactate degradation by *Lactobacillus plantarum*
S.E. Lindgren, L.T. Axelsson and R.F. McFeeters (Sweden, U.S.A.) 209
An oxygenase enzyme system from *Trametes versicolor*
A.W. Khan and R.P. Overend (Canada) 215
Plasmid transformation of *Clostridium perfringens* by electroporation methods
M.K. Phillips-Jones (U.K.) 221
Molecular cloning and expression of the genes encoding the *Escherichia coli* K4 capsular polysaccharide, a fructose-substituted chondroitin
C.R. Drake, I.S. Roberts, B. Jann, K. Jann and G.J. Boulnois (U.K., F.R.G.) 227
Cloning and expression of the putative gene coding for GTP cyclohydrolase I from *Escherichia coli*
G. Katzenmeier, C. Schmid and A. Bacher (F.R.G.) 231
Diisopropylfluorophosphate-binding proteins in the outer membrane of *Fusobacterium nucleatum*: strain variations
K.A. Brokstad, V. Bakken, E.N. Vasstrand and H.B. Jensen (Norway) 235
Lipases from psychrotrophic antarctic bacteria
G. Feller, M. Thiry, J.-L. Arpigny, M. Mergeay and C. Gerday (Belgium) 239
*Ssh*AI restriction endonuclease from *Salmonella shikmonah*
M. Miyahara, K. Nakajima, T. Kawanishi and K. Mise (Japan) 245

Thermodynamic and kinetic studies of a stoichiometric model of energetic metabolism under starvation conditions
S. Cortassa, M.A. Aon and D. Thomas (France) 249
Development of mutants of the mosquitocidal bacterium *Bacillus thuringiensis* subspecies *morrisoni* (PG-14) toxic to lepidopterous or dipterous insects
L.E. Padua and B.A. Federici (U.S.A.) 257
Interspecies electro-transformation in Corynebacteria
C. Bonamy, A. Guyonvarch, O. Reyes, F. David and G. Leblon (France) 263
Uptake of -[^{14}C]-alanine by glutaraldehyde-treated and untreated spores of *Bacillus subtilis*
E.G.M. Power and A.D. Russell (U.K.) 271
Suppression of tyrocidine production by purine nucleotides and related substances in *Bacillus brevis*
M. Oyama and K. Kubota (Japan) 277
Isolation and characterization of two distinct membrane fractions from the Gram-positive nucleotide producer *Brevibacterium ammoniagenes* ATCC 6872
C. Seehaus, H. Siede and G. Auling (F.R.G.) 281
Purification and partial characterization of an iron regulated outer membrane protein of *B. fragilis* under non-denaturing conditions
B.R. Otto, A.M.J.J. Verweij-Van Vught and D.M. Maclaren (The Netherlands) 285
Cloning of the cellulase gene from *Penicillium funiculosum* and its expression in *Escherichia coli*
N.A. Sahasrabudhe and P.K. Ranjekar (India) 291
Photoinduction of carotenoid biosynthesis in *Gibberella fujikuroi*
J. Avalos and E.L. Schrott (West Germany) 295
DNA sequence homology between *att*B-related sites of *Corynebacterium diphtheriae, Corynebacterium ulcerans, Corynebacterium glutamicum,* and the *att*P site of γ-Corynephage
N. Cianciotto, T. Serwold-Davis, N. Groman, G. Ratti and R. Rappuoli (U.S.A., Italy) 299
Evaluation of a selective enrichment technique for the isolation of *Campylobacter pylori*
D.R. Morgan, J.J. Mathewson, R. Freedman and W.G. Kraft (U.S.A.) 303
Respiratory pathways in *Agaricus bisporus* and *Scytalidium thermophilum*
P.J.L. Derikx, H.J.M. Op den Camp, A.M. Wagner, G. Straatsma, L.J.L.D. Van Griensven and G.D. Vogels (The Netherlands) 307
Immunoelectron microscopic demonstration that *Renibacterium salmoninarum* is encapsulated
D. Dubreuil, R. Lallier and M. Jacques (Canada) 313
Autolysins are direct involved in the bactericidal effect caused by penicillin in wild type and in tolerant pneumococci
R. López, C. Ronda and E. García (Spain) 317
Lysogenic phages of *Clostridium perfringens*: mapping of the chromosomal attachment sites
B. Canard and S.T. Cole (France) 323
Structure of the *Bordetella pertussis* gene coding for the serotype 3 fimbrial subunit
F.R. Mooi, A. Ter Avest and H.G.J. Van der Heide (The Netherlands) 327
A possible role of histidine in a nickel resistant mechanism of *Saccharomyces cerevisiae*
M. Joho, M. Inouhe, H. Tohoyama and T. Murayama (Japan) 333
Virulence of *Yersinia ruckeri* serotype I strains is associated with a heat sensitive factor (HSF) in cell extracts
M.D. Furones, M.J. Gilpin, D.J. Alderman and C.B. Munn (U.K.) 339
Characterization of glucoamylase from *Aspergillus terreus* 4
A. Ghose, B.S. Chatterjee and A. Das (India) 345

Author Index Vol. 66 351

Subject Index Vol. 66 355